

Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC.

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

號碼(No.): CE/2015/A0821 日期(Date): 2015/10/08

送樣廠商(Sample Submitted By) 鈞寶電子工業股份有限公司 (KING CORE ELECTRONICS INC.)

樣品名稱(Sample Description) MULTILAYER CHIP BEAD

樣品型號(Style/Item No.) 11材

桃園市平鎮區南豐路269號(平鎮工業區)

收件日期(Sample Receiving Date) 2015/10/05

測試期間(Testing Period) 2015/10/05 TO 2015/10/08

測試需求(Test Requested):

(1) 依據客戶指定,參考RoHS2011/65/EU Annex II及其修訂指令(EU) 2015/863測試編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample.)

(2) 其他測試項目請見下一頁 . (Please refer to next pages for the other item(s).)

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-

頁數(Page): 1 of 13



Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區)

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821

頁數(Page): 2 of 13

測試結果(Test Results)

測試部位(PART NAME)No.1 : MULTILAYER CHIP BEAD

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	66. 1
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法,以UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n. d.
绨 / Antimony (Sb)	mg/kg	參考US EPA 3052方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n. d.
砷 / Arsenic (As)	mg/kg	參考US EPA 3052方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n. d.

日期(Date): 2015/10/08



Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區)

號碼(No.): CE/2015/A0821

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg] [5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg]	5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg] [5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321-6: 2015方法,以氣相 層析/質譜儀檢測. / With reference to IEC 62321-6: 2015 and performed	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	by GC/MS.	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg]	5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg] [5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.

日期(Date): 2015/10/08

頁數(Page): 3 of 13



Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區)

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821

頁數(Page): 4 of 13

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	mg/kg		50	n. d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	參考IEC 62321-8 (111/321/CD),以氣相層析儀/質譜儀檢測之. / With reference to IEC 62321-8 (111/321/CD). Analysis was performed by GC/MS.	50	n. d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	mg/kg		50	n. d.
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553- 12-0; 68515-48-0)	mg/kg		50	n. d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761- 40-0; 68515-49-1)	mg/kg		50	n. d.
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321: 2008方法,以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n. d.

日期(Date): 2015/10/08



Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC.

桃園市平鎮區南豐路269號(平鎮工業區)

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821



頁數(Page): 5 of 13

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法,以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法,以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n. d.
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007,以離子層析儀 分析./ With reference to BS EN	50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n. d.
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)	mg/kg		50	n. d.

日期(Date): 2015/10/08

備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過1µg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



Test Report

號碼(No.): CE/2015/A0821 日期(Date): 2015/10/08 頁數(Page): 6 of 13


鈞寶電子工業股份有限公司

KING CORE ELECTRONICS INC.

桃園市平鎮區南豐路269號(平鎮工業區)

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang



Note** (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



Test Report

號碼(No.): CE/2015/A0821 日期(Date): 2015/10/08 頁數(Page): 7 of 13


鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC.

桃園市平鎮區南豐路269號(平鎮工業區)

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO ₃ , HCI, HF, H ₂ O ₂
玻璃 / Glass	硝酸,氫氟酸 / HNO ₃ /HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO ₃
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H ₂ SO ₄ , H ₂ O ₂ , HNO ₃ , HCI
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate reagent to total digestion



Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821




頁數(Page): 8 of 13

全氟辛酸/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

日期(Date): 2015/10/08

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821




頁數(Page): 9 of 13

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

日期(Date): 2015/10/08

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang





Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821




頁數(Page): 10 of 13

鹵素分析流程圖 / Analytical flow chart of halogen content

日期(Date): 2015/10/08

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821




頁數(Page): 11 of 13

可塑劑分析流程圖 / Analytical flow chart of phthalate content

日期(Date): 2015/10/08

- 測試人員:徐毓明 / Name of the person who made measurement: Andy Shu
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

【測試方法/Test method: IEC 62321-8】





Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN

號碼(No.): CE/2015/A0821

頁數(Page): 12 of 13


多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

日期(Date): 2015/10/08

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process • • • •

確認程序 / Confirmation process - - - →





Test Report

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區南豐路269號(平鎮工業區) NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY 324, TAIWAN


號碼(No.): CE/2015/A0821

頁數(Page): 13 of 13

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

日期(Date): 2015/10/08

CE/2015/A0821



** 報告結尾 (End of Report) **