

### 測試報告 Test Report <sup>號碼(No.)</sup>: CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 1 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

# 以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

······································			
送樣廠商(Sample Submitted By)	:	鈞寶電子工業股份有限公司 (KING CORE ELECTRONICS INC.)	
樣品名稱(Sample Description)	:	FERRITE CORE	
樣品型號(Style/Item No.)	:	K8B	
收件日期(Sample Receiving Date)	:	2015/06/01	
測試期間(Testing Period)	:	2015/06/01 TO 2015/06/04	

### 測試需求(Test Requested):

- (1) 依據客户要求,參考RoHS 2011/65/EU Annex II 指令測試鎬、鉛、汞、六價銘、多溴聯苯、多溴聯苯醚. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)
- (2) 其他測試項目請見下一頁 . / Please refer to next pages for the other item(s).
- **測試結果(Test Results)** : 請見下一頁 (Please refer to next pages).

結論(Conclusion):
 (1)根據客户所提供的樣品,其鎬、鉛、汞、六價铬、多溴聯苯、多溴聯苯醚的測試結果符合 RoHS 指令 2011/65/EU Annex II 之限值要求 (Based on the performed tests on submitted samples, the test result(s) of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs comply with the limits as set by RoHS Directive 2011/65/EU Annex II.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document can be reproduced, except in full, without prior w



### 測試報告 號碼(No.): CE/2015/60146 **Test Report**

日期(Date): 2015/06/04

頁數(Page): 2 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

### 測試結果(Test Results)

測試部位(PART NAME)No.1 : FERRITE CORE

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	<b>限值</b> (Limit)
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	17	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法,以UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n.d.	1000
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法,以液相 層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法,以液相 層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.	-



### 測試報告 Test Report<sup>號碼</sup>

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 3 of 13

**Test Report** 鈞寶電子工業股份有限公司

KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號

NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	<b>限值</b> (Limit)
种 / Arsenic (As)	mg/kg	參考US EPA 3052方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.	_
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n.d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg	]	5	n.d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg	]	5	n.d.	-
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg	]	5	n.d.	-
六溴聯苯 / Hexabromobiphenyl	mg/kg	]	5	n.d.	-
七溴聯苯 / Heptabromobiphenyl	mg/kg	]	5	n.d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg	1	5	n.d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg	   參考IEC 62321: 2008方法,以氣相層	5	n.d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg	析/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg	1	5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.	-
入溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.	-



### 測試報告 Test Report<sup>號碼(</sup>

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 4 of 13

**lest Report** 鈞寶電子工業股份有限公司

約貫電丁工業股份有限公司
KING CORE ELECTRONICS INC.
桃園市平鎮區平鎮工業區南豐路269號
NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	<b>限值</b> (Limit)
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	%	参考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	_
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	参考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	_
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.	-
六溴環十二烷及所有主要被辨别出的異構 物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ - HBCDD, $\beta$ - HBCDD, $\gamma$ - HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	参考IEC 62321: 2008方法,以氣相層 析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n.d.	_
鹵素 / Halogen					
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.	-
鹵素(氯)/ Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007,以離子層析儀 分析. / With reference to BS EN	50	n.d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n.d.	-
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.	-

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-an



### 測試報告 Test Report

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 5 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過1µg/m<sup>2</sup>。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000 ppm), in textiles or other coated materials above 1µg/m<sup>2</sup>.)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-an




### 測試報告 Test Report <sup>號碼(No.)</sup>: CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 6 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 2) 测试入具、杨金铎 / Name of the person who made measurement. Climbyreat rang
- 3) 测試負責人: 張啟興 / Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸腾萃取. / For metallic material, add pure water and heat to boiling.



### 測試報告 號碼(No.): CE/2015/60146 **Test Report**


日期(Date): 2015/06/04

頁數(Page): 7 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

- 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

#### 元素以 ICP-AES 分析的消化流程圖 (Flow Chart of digestion for the elements analysis performed by ICP-AES)





## 測試報告 Test Report<sup>號碼(No.)</sup>:

號碼(No.) : CE/2015/60146


日期(Date): 2015/06/04

頁數(Page): 8 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

#### 全氟辛酸/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





### 測試報告 號碼(No.) : CE/2015/60146 **Test Report**


日期(Date): 2015/06/04

頁數(Page): 9 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 测試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





## 測試報告 Test Report<sup>號碼(No.):(</sup>

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04


頁數(Page): 10 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

#### 六溴環十二烷分析流程圖 / HBCDD analytical flow chart

■ 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





## 測試報告 Test Report <sup>號碼(No.)</sup>: CF

號碼(No.): CE/2015/60146 日期()

日期(Date): 2015/06/04

頁數(Page): 11 of 13


鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

#### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

■ 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

#### 【测試方法/Test method: EN 14372】





## 測試報告 Test Report <sup>號碼(No</sup>

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 12 of 13


鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

■ 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang 初次測試程序 / First testing process ————

選擇性篩檢程序 / Optional screen process ••••••• 確認程序 / Confirmation process – • – •▶



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-an

.



## 測試報告 Test Report<sup>號碼(No.):C</sup>

號碼(No.) : CE/2015/60146

日期(Date): 2015/06/04

頁數(Page): 13 of 13

鈞寶電子工業股份有限公司 KING CORE ELECTRONICS INC. 桃園市平鎮區平鎮工業區南豐路269號 NO. 269, NANFONG RD., PINGJHEN DISTRICT, TAOYUAN CITY, TAIWAN

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

# CE/2015/60146



\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-